## System Specification



#### **EnOcean Equipment Profiles**

#### **REVISION HISTORY**

Ver.	Editor	Change	Date
2.6.8	NM	Last xml edition of the EEP-Specification	Dec 31, 2017

Copyright © EnOcean Alliance Inc. (2019). All rights reserved.

The information within this document is the property of the EnOcean Alliance and its use and disclosure are restricted. Elements of the EnOcean Alliance specifications may also be subject to third party intellectual property rights, including without limitation, patent, copyright or trademark rights (such a third party may or may not be a member of the EnOcean Alliance.)

The EnOcean Alliance is not responsible and shall not be held responsible in any manner for identifying or failing to identify any or all such third party intellectual property rights. This document and the information contained herein are provided on an "as is" basis and the EnOcean Alliance disclaims all warranties express or implied, including but not limited to

- (1) any warranty that the use of the information herein will not infringe any rights of third parties (including any intellectual property rights, patent, copyright or trademark rights, or
- (2) any implied warranties of merchantability, fitness for a particular purpose, title or non-infringement.

In no event will the EnOcean Alliance be liable for any loss of profits, loss of business, loss of use of data, interruption of business, or for any other direct, indirect, special or exemplary, incidental, punitive or consequential damages of any kind, in contract or in tort, in connection with this document or the information contained herein, even if advised of the possibility of such loss or damage. All Company, brand and product names may be trademarks that are the sole property of their respective owners.

The above notice and this paragraph must be included on all copies of this document that are made.

The EnOcean Alliance "EnOcean Equipment Profiles definitions" are available free of charge to companies, individuals and institutions for all non-commercial purposes (including educational research, technical evaluation and development of non-commercial tools or documentation.)

This specification includes intellectual property ("IPR") of the EnOcean Alliance and joint intellectual properties ("joint IPR") with contributing member companies. No part of this

EnOcean Equipment Profiles Page 1/4

# enocean°alliance No Wires. No Batteries. No Limits.

# **System Specification**

specification may be used in development of a product or service for sale without being a participant or promoter member of the EnOcean Alliance and/or joint owner of the appropriate joint IPR.

These errata may not have been subjected to an Intellectual Property review, and as such, may contain undeclared Necessary Claims.

EnOcean Alliance Inc. 2400 Camino Ramon, Suite 375 San Ramon, CA 94583 USA Graham Martin Chairman & CEO EnOcean Alliance

**EnOcean Equipment Profiles** 





### A5-09: Gas Sensor

RORG	A5	4BS Telegram		
FUNC	09	Gas Sensor		
TYPE	0C	VOC Sensor		

#### Submitter: NanoSense

#### Description

Since this EEP has been released, Total VOC has been regulated by ISO standard. ISO 16000-29 is using weight per cubic metre instead of concentration. This update is for using free bits of this EEP to choose between ppb and µg/m3. Therefore the updated EEP will be compatible with previous version and will provide compliance with ISO standard. Some new VOC have been added in the list especially Naphthalene that will be soon regulated in certain European countries and 4-Phenylcyclohexene because it is part of the LEED (National rating system for sustainable buildings for North America).

#### Data exchange

Direction: unidirectional Addressing: broadcast

Communication trigger: event- & time-triggered

Communication interval: -

Trigger event: value change or time

Tx delay: -Rx timeout: -

#### Teach-in

Teach-in method: 4BS teach-in 2

#### Security

Encryption supported: no Security level format: -

\*: For instance, Monthly means the last or the forecast cost of consumption of the last or the next month.

**EnOcean Equipment Profiles** 



# System Specification

Offset	Size	Bitrange	Data	ShortCut	Description	Valid Range	Scale	Unit
0	16	DB3.7DB2.0	voc	Conc	VOC concentration	065535		according to Unit
16	8	DB1.7DB1.0	VOC ID*	VOC ID	VOC identification	Enum:  0: VOCT (total)  1: Formaldehyde  2: Benzene  3: Styrene  4: Toluene  5: Tetrachloroethylene  6: Xylene  7: n-Hexane  8: n-Octane  9: Cyclopentane  10: Methanol  11: Ethanol  12: 1-Pentanol  13: Acetone  14: ethylene Oxide  15: Acetaldehyde ue  16: Acetic Acid  17: Propionice Acid  18: Valeric Acid  19: Butyric Acid  20: Ammoniac  22: Hydrogen Sulfide  23: Dimethylsulfide  24: 2-Butanol (butyl Alcohol)  25: 2-Methylpropanol  26: Diethyl ether  27: Naphthalene  28: 4-Phenylcyclohexene  29: Limonene  30: Trichloroethylene  31: Isovaleric acid  32: Indole  33: Cadaverine  34: Putrescine		ene  Alcohol)  ixene
24	1	DB0 7 DB0 4	Not Heed / O	\		255: Ozone	-	
28	1	DB0.7DB0.4	Not Used (= 0 LRN Bit	LRNB	LRN Bit	Enum:  0: Teach-in telegram		
29	1	DB0.2	Unit	Unit	Unit of VOC concentration	1: Data telegram  Enum:  0: ppb  1: μg/m3		
30	2	DB0.1DB0.0	Scale Multiplier	SCM	Scale multiplier	Enum:  0: 0.01  1: 0.1  2: 1  3: 10		

EnOcean Equipment Profiles Page 4/4